

Page 1/9

# Safety data sheet according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: W810 CARBON BLACK
- · Article number: W810
- 1.2 Relevant identified uses of the substance or mixture and uses advised against use as industrial paint
- Sector of Use SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites
   Application of the substance / the mixture refer to the relevant Technical Data Sheet
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
   P.O. Box 7623
   Beirut LEBANON
   info@hymax.biz
   Générale de Peinture, 70 Rue Cortambert 75116 Paris, France
   Tel:+33(0)175293559
- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number: +33 (0)6 07 87 13 41

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008) with its amendment Regulation (EU) 2020/878



Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms



Signal word Warning
 Hazard statements
 H319 Causes serious eye irritation.

(Contd. on page 2)



### Page 2/9

# Safety data sheet

according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

(Contd. of page 1)

### Trade name: W810 CARBON BLACK

	(Conta. of page 1)
· Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash thoroughly after handling.
P280	Wear eye protection / face protection.
P305+P351+P3	38 IF IN ÉYÉS: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
· 2.3 Other hazar	rds
· Results of PBT	and vPvB assessment
· PBT: Not applic	able.

· vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 111-76-2	2-butoxyethanol	>2.5- <i>≤</i> 10%
EINECS: 203-905-0	Acute Tox. 3, H311; Acute Tox. 3, H331;  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Reg.nr.: 01-2119475108-36	4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 67-63-0	propan-2-ol	<i>≤</i> 2.5%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3,	1
Reg.nr.: 01-2119457558-25	H336	
Additional information: Fo	r the wording of the listed hazard phrases refer to section 16	·

Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)



Page 3/9

# Safety data sheet

according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

Trade name: W810 CARBON BLACK

(Contd. of page 2)

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
   CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
   5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
   No dangerous substances are released.
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 4)

GB



# Safety data sheet according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

Page 4/9

# Trade name: W810 CARBON BLACK

Inara	(Contd. of page
-	dients with limit values that require monitoring at the workplace:
	76-2 2-butoxyethanol
VVEL	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm
	Sk, BMGV
67-63	3-0 propan-2-ol
	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 999 mg/m <sup>3</sup> , 400 ppm
Inare	dients with biological limit values:
-	76-2 2-butoxyethanol
	V 240 mmol/mol creatinine
DIVIO	Medium: urine
	Sampling time: post shift
	Parameter: butoxyacetic acid
Wash Avoid Avoid <b>Resp</b>	ediately remove all soiled and contaminated clothing in hands before breaks and at the end of work. I contact with the eyes. I contact with the eyes and skin. <b>I iratory protection:</b> Not required. <b>I cotion of hands:</b>
In S	Protective gloves
Due prepa Selec degra	plove material has to be impermeable and resistant to the product/ the substance/ the preparation to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. In the glove material on consideration of the penetration times, rates of diffusion and the adation
The s quali	<b>rial of gloves</b> selection of the suitable gloves does not only depend on the material, but also on further marks ty and varies from manufacturer to manufacturer. As the product is a preparation of seve sances, the resistance of the glove material can not be calculated in advance and has therefore

be checked prior to the application.

(Contd. on page 5)

GB



## Page 5/9

# Safety data sheet

according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

(Contd. of page 4)

### Trade name: W810 CARBON BLACK

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

AFATIANIA				
SECTOR AND OF	Lhveleal	and chome	aal nkan	Ortice
SECTION 9:	FINANGI	611000114111		ETTES

9.1 Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form: Colour:	Fluid
· Odour:	According to product description Characteristic
· Odour: · Odour threshold:	Not determined.
· pH-value at 20 °C:	7.4-8.4
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C
· Flash point:	68 °C
· Flammability (solid, gas):	Not applicable.
· Auto-ignition temperature:	240 °C
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.01 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
	(Contd. on page 6

## Page 6/9

# Safety data sheet according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

Trade name: W810 CARBON BLACK

	(Contd. of page
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	11.1 %
Water:	61.0 %
VOC (EC)	291.7 g/l
Solids content:	26.8 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

# · LD/LC50 values relevant for classification:

111-76-2 2-butoxyethanol			
Oral	LD50	1,200 mg/kg (ATE) 1,480 mg/kg (rat) 400 mg/kg (rab)	
		1,480 mg/kg (rat)	
	LD50	400 mg/kg (rab)	
Inhalative	LC50/4 h	3 mg/l (ATE)	

### · Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)



# Safety data sheet

according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

(Contd. of page 6)

Page 7/9

## Trade name: W810 CARBON BLACK

- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

# Safety data sheet

according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

Trade name: W810 CARBON BLACK

(Contd. of page 7)

Page 8/9

SECTION 14: Transport informati	on	
· 14.1 UN-Number	NOT SPPLICABLE	
· 14.2 UN proper shipping name	NOT APPLICABLE	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	NOT APPLICABLE NOT APPLICABLE	
· 14.4 Packing group	NOT APPLICABLE	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Ann Marpol and the IBC Code</li> </ul>	<b>ex II of</b> Not applicable.	

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

### · Regulated explosives precursors

None of the ingredients is listed.

### · Regulated poisons

None of the ingredients is listed.

### · Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# · Relevant phrases

H225 Highly flammable liquid and vapour.

(Contd. on page 9)

GB



# Safety data sheet according to UK REACH

Printing date 05.08.2024

Version number 1.1

Revision: 05.08.2024

#### Trade name: W810 CARBON BLACK

(Contd. of page 8) H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. · Department issuing SDS: Product safety department · Contact: N/A · Abbreviations and acronyms: GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 • \* Data compared to the previous version altered. GB

Page 9/9