

Page 1/11

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

SECTION 1: Identification of the substance/mixture and of the company underta<u>king</u> · 1.1 Product identifier PRIMERS · Trade name: P40 2K RAPID PRIMER BEIGE · Article number: P40 1.2 Relevant identified uses of the substance or mixture and uses advised against use as paint primer · Sector of Use SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC9b Fillers, putties, plasters, modelling clay · Application of the substance / the mixture refer to the relevant Technical Data Sheet refer to the relevant Technical Data Sheet · 1.3 Details of the supplier of the safety data sheet General Paint Co. S.A.L -Safety Department-For further information, please consult our Internet site www.hymax.biz · Manufacturer/Supplier: Générale de Peinture, 70 Rue Cortambert 75116 Paris, France Tel:+33(0)175293559 info@hymax.biz · Further information obtainable from: Product Safety Department · 1.4 Emergency telephone number: During normal opening times: (961) 9 925990 /1/2 009619925990

SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008) with its amendment Regulation (EU) 2020/878



Flam. Liq. 3 H226 Flammable liquid and vapour.

(Contd. on page 2)



Page 2/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

Trade name: P40 2K RAPID PRIMER BEIGE

| | (Contd. of page |
|---------------------------------|---|
| $\mathbf{\Lambda}$ | |
| $\langle ! \rangle$ | |
| \mathbf{V} | |
| Skin Irrit. 2 | H315 Causes skin irritation. |
| The product | ccording to Regulation (EC) No 1272/2008 is classified and labelled according to the CLP regulation. |
| Hazard pict | ograms |
| $\mathbf{\wedge}$ | ∧ |
| J. | |
| | |
| | V . |
| GHS02 G | HS07 |
| | |
| · Signal word | I Warning |
| · Hazard stat | ements |
| H226 Flamn | nable liquid and vapour. |
| | s skin irritation. |
| · Precautiona | ary statements |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition source |
| | No smoking. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof [electrical/ventilating/lighting] equipment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| | +P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sl |
| | with water [or shower]. |
| P501 | Dispose of contents/container in accordance with local/regional/nation |
| | international regulations. |
| · Additional i | |
| | zardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| • 2.3 Other ha | |
| | PBT and vPvB assessment |
| · PBT: Not ap | |
| • vPvB: Not a | |
| | pplicable. |

(Contd. on page 3)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

Trade name: P40 2K RAPID PRIMER BEIGE

(Contd. of page 2)

Page 3/11

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

| 1330-20-7 | xylene | >10- <i>≤</i> 25% |
|------------|--|--------------------|
| | ♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315 | |
| 13463-67-7 | titanium dioxide | >10- <i>≤</i> 25% |
| | 🚸 Carc. 2, H351 | |
| 123-86-4 | n-butyl acetate | >2.5- <i>≤</i> 10% |
| | 🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336 | |
| 64742-95-6 | Solvent naphtha (petroleum), light arom. | <i>≤</i> 2.5% |
| | 🚸 Acute Tox. 4, H332; STOT SE 3, H335 | |
| 100-41-4 | ethylbenzene | <i>≤</i> 2.5% |
| 77-58-7 | dibutyltin dilaurate Acute Tox. 3, H301; Muta. 2, H341; Repr. 1B, H360FD; STOT RE 1, H372 | <i>≤</i> 2.5% |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

⁽Contd. on page 4)

⁻ LB/AR



Page 4/11

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

(Contd. of page 3)

Trade name: P40 2K RAPID PRIMER BEIGE

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- \cdot 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 5)



Page 5/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

Trade name: P40 2K RAPID PRIMER BEIGE

| Ingradiants | (Contd. of page 4 with limit values that require monitoring at the workplace: |
|--------------------------|---|
| 1330-20-7 x | |
| | Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin |
| 123-86-4 n- | butyl acetate |
| IOELV (EU) | Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm |
| 100-41-4 et | hylbenzene |
| IOELV (EU) | Short-term value: 884 mg/m³, 200 ppm Long-term value: 442 mg/m³, 100 ppm Skin |
| Additional | nformation: The lists valid during the making were used as basis. |
| Avoid conta | ct with the skin. ct with the eyes and skin. r protection: Not required. of hands: |
| PI | otective gloves |
| Due to miss | aterial has to be impermeable and resistant to the product/ the substance/ the preparation sing tests no recommendation to the glove material can be given for the product/ the the chemical mixture. The glove material on consideration of the penetration times, rates of diffusion and the ploves |
| The selectic quality and | n of the suitable gloves does not only depend on the material, but also on further marks o varies from manufacturer to manufacturer. As the product is a preparation of severa the resistance of the glove material can not be calculated in advance and has therefore t |

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

⁻ LB/AR



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

(Contd. of page 5)

Page 6/11

Trade name: P40 2K RAPID PRIMER BEIGE

· Eye protection:

Tightly sealed goggles

SECTION 9: Physical and chemical properties

| General Information | |
|--|---|
| Appearance: | |
| Form: | Liquid |
| Colour: | Beige |
| Odour: Odour threshold: | Characteristic Not determined |
| Odour threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/freezing point: | Undetermined. |
| Initial boiling point and boiling rang | e: 124 °C |
| Flash point: | 25 °C |
| Flammability (solid, gas): | Flammable. |
| Auto-ignition temperature: | 370 °C |
| Decomposition temperature: | Not determined. |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| Explosion limits: | |
| Lower: | 1.1 Vol % |
| Upper: | 7 Vol % |
| Vapour pressure at 20 °C: | 6.7 hPa |
| Density at 20 °C: | 1.63 g/cm³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |



Page 7/11

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

Trade name: P40 2K RAPID PRIMER BEIGE

| | (Contd. of pag | ge 6 |
|---|--|------|
| Solubility in / Miscibility with water: | Not miscible or difficult to mix. | |
| · Partition coefficient: n-octanol/water: | Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Organic solvents: | 25.0 % | |
| VÕC (EC) | 406.8 g/l | |
| Solids content: | 74.7 % | |
| · 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

Trade name: P40 2K RAPID PRIMER BEIGE

(Contd. of page 7)

Page 8/11

• **STOT-repeated exposure** Based on available data, the classification criteria are not met. • **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

| · 14.1 UN-Number | | |
|--------------------------------|------------|--|
| · ADR, IMDG, IATA | UN1263 | |
| · 14.2 UN proper shipping name | | |
| ADR | 1263 PAINT | |
| · IMDG, IATA | PAINT | |



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

Trade name: P40 2K RAPID PRIMER BEIGE

| | (Contd. of page |
|--|---|
| · 14.3 Transport hazard class(es) | NOT APPLICABLE |
| · ADR, IMDG, IATA | |
| | |
| · Class | 3 Flammable liquids. |
| · Label | 3 |
| · 14.4 Packing group · ADR, IMDG, IATA | 111 |
| · 14.5 Environmental hazards: · Marine pollutant: | Νο |
| · 14.6 Special precautions for user | Warning: Flammable liquids. |
| Hazard identification number (Kemler code): | 30 |
| EMS Number: | F-E, <u>S-E</u> |
| Stowage Category | Α |
| 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code | f Not applicable. |
| Transport/Additional information: | |
| · ADR · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml |
| Transport category Tunnel restriction code | Maximum net quantity per outer packaging: 1000 m 3 D/E |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m |
| UN "Model Regulation": | UN 1263 PAINT, 3, III |

(Contd. on page 10)



Page 10/11

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

Trade name: P40 2K RAPID PRIMER BEIGE

(Contd. of page 9)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child.

- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 11)

LB/AR



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.06.2024

Version number 1.1

Revision: 04.06.2024

(Contd. of page 10)

Page 11/11

Trade name: P40 2K RAPID PRIMER BEIGE

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

LB/AR