



## Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

### 1 Identification

- **Product identifier**
- **Trade name:** W550 RUBY RED
- **Article number:** W550
- **Application of the substance / the mixture** refer to the relevant Technical Data Sheet
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
General Paint Co. SAL  
P.O. Box 7623  
Beirut  
LEBANON  
info@hymax.biz
- **Information department:** Product Safety Department
- **Emergency telephone number:** 1-800-535-5053 contract number (89244)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Flammable liquids 4 H227 Combustible liquid.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard statements**  
Combustible liquid.
- **Precautionary statements**  
Keep away from flames and hot surfaces. – No smoking.  
Wear protective gloves/protective clothing/eye protection/face protection.  
In case of fire: Use CO2, powder or water spray to extinguish.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 2  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0  
Fire = 2  
Reactivity = 0

(Contd. on page 2)



## Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

|          |                 |           |
|----------|-----------------|-----------|
| 111-76-2 | 2-butoxyethanol | >2.5-≤10% |
| 67-63-0  | propan-2-ol     | ≤2.5%     |

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



## Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 2)

**• Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.

**• Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**• Protective Action Criteria for Chemicals****• PAC-1:**

|          |                        |         |
|----------|------------------------|---------|
| 111-76-2 | 2-butoxyethanol        | 60 ppm  |
| 67-63-0  | propan-2-ol            | 400 ppm |
| 108-01-0 | 2-dimethylaminoethanol | 3.7 ppm |
| 104-76-7 | 2-Ethyl-1-hexanol      | 0.1 ppm |
| 140-88-5 | ethyl acrylate         | 8.3 ppm |

**• PAC-2:**

|          |                        |           |
|----------|------------------------|-----------|
| 111-76-2 | 2-butoxyethanol        | 120 ppm   |
| 67-63-0  | propan-2-ol            | 2000* ppm |
| 108-01-0 | 2-dimethylaminoethanol | 12 ppm    |
| 104-76-7 | 2-Ethyl-1-hexanol      | 100 ppm   |
| 140-88-5 | ethyl acrylate         | 36 ppm    |

**• PAC-3:**

|          |                        |             |
|----------|------------------------|-------------|
| 111-76-2 | 2-butoxyethanol        | 700 ppm     |
| 67-63-0  | propan-2-ol            | 12000** ppm |
| 108-01-0 | 2-dimethylaminoethanol | 72 ppm      |
| 104-76-7 | 2-Ethyl-1-hexanol      | 200 ppm     |
| 140-88-5 | ethyl acrylate         | 240 ppm     |

### 7 Handling and storage

**• Handling:**

**• Precautions for safe handling** No special precautions are necessary if used correctly.

**• Information about protection against explosions and fires:** No special measures required.

**• Conditions for safe storage, including any incompatibilities**

**• Storage:**

**• Requirements to be met by storerooms and receptacles:** No special requirements.

**• Information about storage in one common storage facility:** Not required.

**• Further information about storage conditions:** None.

(Contd. on page 4)

US



## Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 3)

- **Storage class:** 10
- **Specific end use(s):** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

#### • Components with limit values that require monitoring at the workplace:

##### 111-76-2 2-butoxyethanol

|     |   |
|-----|---|
| PEL | Long-term value: 240 mg/m <sup>3</sup> , 50 ppm<br>Skin   |
| REL | Long-term value: 24 mg/m <sup>3</sup> , 5 ppm<br>Skin     |
| TLV | Long-term value: 97 mg/m <sup>3</sup> , 20 ppm<br>BEI, A3 |

##### 67-63-0 propan-2-ol

|     |  |
|-----|--|
| PEL | Long-term value: 980 mg/m <sup>3</sup> , 400 ppm   |
| REL | Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm<br>Long-term value: 980 mg/m <sup>3</sup> , 400 ppm           |
| TLV | Short-term value: 984 mg/m <sup>3</sup> , 400 ppm<br>Long-term value: 491 mg/m <sup>3</sup> , 200 ppm<br>BEI, A4 |

#### • Ingredients with biological limit values:

##### 111-76-2 2-butoxyethanol

|     |  |
|-----|--|
| BEI | 200 mg/g creatinine<br>Medium: urine<br>Time: end of shift<br>Parameter: Butoxyacetic acid (BAA) (with hydrolysis) |
|-----|--|

##### 67-63-0 propan-2-ol

|     |   |
|-----|---|
| BEI | 40 mg/L<br>Medium: urine<br>Time: end of shift at end of workweek<br>Parameter: Acetone (background, nonspecific) |
|-----|---|

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.

(Contd. on page 5)

US

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 4)

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Eye protection: Goggles recommended during refilling.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

**Form:**

Fluid

**Color:**

According to product description

#### · Odor:

Characteristic

#### · Odor threshold:

Not determined.

#### · pH-value at 20 °C (68 °F):

7.4-8.4

### · Change in condition

**Melting point/Melting range:**

Undetermined.

**Boiling point/Boiling range:**

100 °C (212 °F)

#### · Flash point:

68 °C (154.4 °F)

#### · Flammability:

Not applicable.

#### · Auto igniting:

240 °C (464 °F)

#### · Decomposition temperature:

Not determined.

#### · Ignition temperature:

Product is not selfigniting.

(Contd. on page 6)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 5)

- |   |  |
|---|--|
| · <b>Danger of explosion:</b>                     | Not determined.                            |
| · <b>Explosion limits:</b>                        |  |
| <b>Lower:</b>                                     | Not determined.                            |
| <b>Upper:</b>                                     | Not determined.                            |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 23 hPa (17.3 mm Hg)                        |
| · <b>Density at 20 °C (68 °F):</b>                | 1.072 g/cm <sup>3</sup> (8.94584 lbs/gal)  |
| · <b>Relative density</b>                         | Not determined.                            |
| · <b>Vapor density</b>                            | Not determined.                            |
| · <b>Evaporation rate</b>                         | Not determined.                            |
| · <b>Solubility in / Miscibility with Water:</b>  | Not miscible or difficult to mix.          |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| · <b>Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 7.8 %                                      |
| <b>Water:</b>                                     | 61.3 %                                     |
| <b>Coating VOC content:</b>                       | 7.77 %                                     |
|   | 243.4 g/l / 2.03 lb/gal                    |
| <b>Material VOC content:</b>                      | 83.3 g/l / 0.70 lb/gal                     |
| <b>Solids content:</b>                            | 29.8 %                                     |
| · <b>Other information</b>                        | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 7)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W550 RUBY RED

(Contd. of page 6)

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 111-76-2 2-butoxyethanol

|            |          |  |
|------------|----------|--|
| Oral       | LD50     | 1,200 mg/kg (ATE)<br>1,480 mg/kg (rat) |
| Dermal     | LD50     | 400 mg/kg (rab)                        |
| Inhalative | LC50/4 h | 3 mg/l (ATE)                           |

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

|          |                 |    |
|----------|-----------------|----|
| 111-76-2 | 2-butoxyethanol | 3  |
| 67-63-0  | propan-2-ol     | 3  |
| 140-88-5 | ethyl acrylate  | 2B |

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

US



## Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 7)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                                  |
|--|----------------------------------|
| • <b>UN-Number</b>   | NOT APPLICABLE                   |
| • <b>UN proper shipping name</b>   | N/A<br>NOT APPLICABLE            |
| • <b>Transport hazard class(es)</b>  | NOT APPLICABLE<br>NOT APPLICABLE |
| • <b>Packing group</b>   | NON APPLICABLE<br>NOT APPLICABLE |
| • <b>Environmental hazards:</b>  |                                  |
| • <b>Marine pollutant:</b>   | No                               |
| • <b>Special precautions for user</b>  | Not applicable.                  |
| • <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                  |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

(Contd. on page 9)

US





## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 8)

**· Section 313 (Specific toxic chemical listings):**

|          |                 |
|----------|-----------------|
| 111-76-2 | 2-butoxyethanol |
| 67-63-0  | propan-2-ol     |
| 140-88-5 | ethyl acrylate  |

**· TSCA (Toxic Substances Control Act):**

|           |   |        |
|-----------|---|--------|
| 7732-18-5 | water, distilled, conductivity or of similar purity | ACTIVE |
| 111-76-2  | 2-butoxyethanol                                     | ACTIVE |
| 67-63-0   | propan-2-ol   | ACTIVE |
| 108-01-0  | 2-dimethylaminoethanol                              | ACTIVE |
| 104-76-7  | 2-Ethyl-1-hexanol                                   | ACTIVE |
| 140-88-5  | ethyl acrylate                                      | ACTIVE |

**· Hazardous Air Pollutants**

|          |                |
|----------|----------------|
| 140-88-5 | ethyl acrylate |
|----------|----------------|

**· Proposition 65****· Chemicals known to cause cancer:**

|          |                |
|----------|----------------|
| 140-88-5 | ethyl acrylate |
|----------|----------------|

**· Chemicals known to cause reproductive toxicity for females:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

**· Chemicals known to cause reproductive toxicity for males:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

**· Chemicals known to cause developmental toxicity:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

**· Carcinogenic categories****· EPA (Environmental Protection Agency)**

|          |                 |    |
|----------|-----------------|----|
| 111-76-2 | 2-butoxyethanol | NL |
|----------|-----------------|----|

**· TLV (Threshold Limit Value)**

|          |                 |    |
|----------|-----------------|----|
| 111-76-2 | 2-butoxyethanol | A3 |
| 67-63-0  | propan-2-ol     | A4 |
| 140-88-5 | ethyl acrylate  | A4 |

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

|          |                |
|----------|----------------|
| 140-88-5 | ethyl acrylate |
|----------|----------------|

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms** Void**· Signal word** Warning

(Contd. on page 10)

US



## Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

**Trade name: W550 RUBY RED**

(Contd. of page 9)

**• Hazard statements***Combustible liquid.***• Precautionary statements***Keep away from flames and hot surfaces. – No smoking.**Wear protective gloves/protective clothing/eye protection/face protection.**In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.**Store in a well-ventilated place. Keep cool.**Dispose of contents/container in accordance with local/regional/national/international regulations.***• Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**• Department issuing SDS:** Product safety department**• Contact:** N/A**• Date of preparation / last revision** 05/08/2025 / 1.0**• Abbreviations and acronyms:***EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Flammable liquids 4: Flammable liquids – Category 4***• \* Data compared to the previous version altered.**