

Page 1/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

1 Identification

- · Product identifier
- · Trade name: W700 PEARL COPPER
- · Article number: W700
- · Application of the substance / the mixture refer to the relevant Technical Data Sheet
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* General Paint Co. SAL P.O. Box 7623 Beirut LEBANON info@hymax.biz

- · Information department: Product Safety Department
- Emergency telephone number: 1-800-535-5053 contract number (89244)

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

Flammable liquids 4 H227 Combustible liquid.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- Hazard statements
 Combustible liquid.
 Causes serious eye irritation.
- · Precautionary statements

Keep away from flames and hot surfaces. – No smoking. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US




acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Page 2/12

Trade name: W700 PEARL COPPER



· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

111-76-2	2-butoxyethanol
----------	-----------------

67-63-0 propan-2-ol

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

>2.5-*≤*10%

*≤*2.5%

US



acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

· Reference to other sections

No dangerous substances are released.

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

60 ppm
400 ppm
3.7 ppm
50 ppm
130 ppm
33 ppm
8.3 ppm
120 ppm
2000* ppm
(

(Contd. of page 2)

Page 3/12

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Page 4/12

Trade name: W700 PEARL COPPER

108-01-0	2-dimethylaminoethanol	Contd. of page 3)
	2-methoxy-1-methylethyl acetate	1,000 ppm
1330-20-7	xylene	920* ppm
100-41-4	ethylbenzene	1100* ppm
140-88-5	ethyl acrylate	36 ppm
· PAC-3:		
111-76-2	2-butoxyethanol	700 ppm
67-63-0	propan-2-ol	12000** ppm
108-01-0	2-dimethylaminoethanol	72 ppm
108-65-6	2-methoxy-1-methylethyl acetate	5000* ppm
1330-20-7	xylene 2	2500* ppm
100-41-4	ethylbenzene	1800* ppm
140-88-5	ethyl acrylate 2	240 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

PEL Long-term value: 240 mg/m³, 50 ppm Skin

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

05	(Contd. of page
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm
	BEI, A3
	3-0 propan-2-ol
	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 491 mg/m³, 200 ppm BEI, A4
Ingre	edients with biological limit values:
-	76-2 2-butoxyethanol
	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)
	3-0 propan-2-ol
	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
Expo Pers Gene Keep Imme Wasi Avoid Avoid Brea	itional information: The lists that were valid during the creation were used as basis. osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. d contact with the eyes. d contact with the eyes and skin. thing equipment: Not required. ection of hands:
MAS -	Protective gloves
Due	glove material has to be impermeable and resistant to the product/ the substance/ the preparation to missing tests no recommendation to the glove material can be given for the product/ to aration/ the chemical mixture.
	(Contd. on page

(Contd. on page 6)

- US -

Page 5/12



Page 6/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

(Contd. of page 5) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Fluid
Color:	According to product description
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	7.4-8.4
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 °C (212 °F)
· Flash point:	68 °C (154.4 °F)
· Flammability:	Not applicable.
· Auto igniting:	240 °C (464 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	Not determined.
	(Contd. on page 7)

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

		(Contd. of page 6)
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.075 g/cm³ (8.97088 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with 		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	11.6 %	
Water:	64.9 %	
Coating VOC content:	11.58 %	
	411.8 g/l / 3.44 lb/gal	
Material VOC content:	124.5 g/l / 1.04 lb/gal	
Solids content:	23.2 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

US

Page 7/12



acc. to OSHA HCS

Printing date 05/08/2025

IYMA

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

(Contd. of page 7)

Page 8/12

Acute tox	•	t are relevant for classification:	
	2-butoxye		
Oral	LD50	1,200 mg/kg (ATE)	
orai	2200	1,480 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rab)	
		3 mg/l (ATE)	
Additiona	e: Irritating tion: No se I toxicolo	effect. ensitizing effects known. gical information:	
on the ey Sensitiza Additiona The produ preparatic Irritant Carcinog	e: Irritating tion: No se al toxicolo uct shows ns: enic categ	effect. ensitizing effects known. gical information: the following dangers according to internally appro pories	oved calculation methods
on the ey Sensitiza Additiona The produ preparatio Irritant Carcinog IARC (International Contents)	e: Irritating tion: No se al toxicolo uct shows ns: enic categ	effect. ensitizing effects known. gical information: the following dangers according to internally appro ories Agency for Research on Cancer)	oved calculation methods
on the ey Sensitiza Additiona The produ preparatic Irritant Carcinog IARC (Intel 111-76-2	e: Irritating tion: No se al toxicolo uct shows ns: enic categ ernational	effect. ensitizing effects known. gical information: the following dangers according to internally appro tories Agency for Research on Cancer) ethanol	
on the ey Sensitiza Additiona The produ preparatic Irritant Carcinog IARC (Intel 111-76-2	e: Irritating tion: No se al toxicolo uct shows ns: enic categ ernational 2-butoxy propan-2	effect. ensitizing effects known. gical information: the following dangers according to internally appro tories Agency for Research on Cancer) ethanol	
on the ey Sensitiza Additiona The produ preparatio Irritant Carcinog IARC (Intel 111-76-2 67-63-0 1330-20-7	e: Irritating tion: No se al toxicolo uct shows ns: enic categ ernational 2-butoxy propan-2	effect. ensitizing effects known. gical information: the following dangers according to internally appro nories Agency for Research on Cancer) ethanol -ol	
on the ey Sensitiza Additiona The produ preparatio Irritant Carcinog IARC (Inte 111-76-2 67-63-0 1330-20-7 100-41-4	e: Irritating tion: No se al toxicolo uct shows ns: enic categ ernational 2-butoxy propan-2 xylene	effect. ensitizing effects known. gical information: the following dangers according to internally appro tories Agency for Research on Cancer) ethanol -ol	
on the ey Sensitiza Additiona The produ preparatio Irritant Carcinog IARC (Intel 111-76-2 67-63-0 1330-20-7 100-41-4 140-88-5	e: Irritating tion: No se al toxicolo uct shows ns: enic categ ernational 2-butoxy propan-2 xylene ethylben ethyl acr	effect. ensitizing effects known. gical information: the following dangers according to internally appro tories Agency for Research on Cancer) ethanol -ol	

12 Ecological information

· Toxicity

Aquatic toxicity: No further relevant information available.
 Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 9)



acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number	NOT APPLICABLE	
UN proper shipping name	N/A NOT APPLICABLE	
Transport hazard class(es)	NOT APPLICABLE NOT APPLICABLE	
Packing group	NON APPLICABILE NOT APPLICABLE	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
<i>Transport in bulk according to Annex</i> <i>MARPOL73/78 and the IBC Code</i>	T II of Not applicable.	

(Contd. on page 10)

Page 9/12

(Contd. of page 8)

Page 10/12

Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

(Contd. of page 9)

15 Regulatory information

Section 3	55 (extremely hazardous substances):	
	e ingredients is listed.	
Section 3	13 (Specific toxic chemical listings):	
111-76-2	2-butoxyethanol	
67-63-0	propan-2-ol	
1330-20-7	xylene	
	ethylbenzene	
140-88-5	ethyl acrylate	
•	xic Substances Control Act):	
All compor	nents have the value ACTIVE.	
Hazardou	s Air Pollutants	
1330-20-7	xylene	
	ethylbenzene	
	ethyl acrylate	
Propositio	n 65	
Chemical	s known to cause cancer:	
100-41-4	ethylbenzene	
140-88-5	ethyl acrylate	
	s known to cause reproductive toxicity for female	9S:
None of th	e ingredients is listed.	
Chemical	s known to cause reproductive toxicity for males.	:
None of th	e ingredients is listed.	
Chemical	s known to cause developmental toxicity:	
None of th	e ingredients is listed.	
Carcinoge	enic categories	
-	ronmental Protection Agency)	
•	2-butoxyethanol	
1330-20-7	xillene	

US



Page 11/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W700 PEARL COPPER

	(Cont	ai ei page i
•	eshold Limit Value)	
111-76-2	2 2-butoxyethanol	A3
67-63-0	propan-2-ol	A4
1330-20-7	zylene	A4
100-41-4	ethylbenzene	A3
140-88-5	5 ethyl acrylate	A4
NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
140-88-5	ethyl acrylate	
GHS07		
Signal wo	ord Warning	
Signal wo Hazard st	tatements	
Signal wo Hazard st Combustik	tatements ble liquid.	
Signal wo Hazard st Combustik Causes se Precautio	t atements ble liquid. erious eye irritation. onary statements	
Signal wo Hazard st Combustik Causes se Precautio Keep awa	t atements ble liquid. erious eye irritation. o nary statements y from flames and hot surfaces. – No smoking.	
Signal wo Hazard st Combustik Causes se Precautio Keep awa Wash thor	t atements ble liquid. erious eye irritation. o nary statements y from flames and hot surfaces. – No smoking. roughly after handling.	
Signal wo Hazard st Combustik Causes se Precautio Keep awa Wash thor Wear prote	tatements ble liquid. erious eye irritation. onary statements y from flames and hot surfaces. – No smoking. roughly after handling. rective gloves/protective clothing/eye protection/face protection.	nt and eas
Signal wo Hazard st Combustik Causes se Precautio Keep awa Wash thor Wear prote If in eyes:	t atements ble liquid. erious eye irritation. o nary statements y from flames and hot surfaces. – No smoking. roughly after handling.	nt and eas
Signal wo Hazard st Combustik Causes se Precautio Keep awa Wash thor Wear prote If in eyes: to do. Con If eye irrita	tatements ble liquid. erious eye irritation. onary statements by from flames and hot surfaces. – No smoking. roughly after handling. ective gloves/protective clothing/eye protection/face protection. Rinse cautiously with water for several minutes. Remove contact lenses, if preser ntinue rinsing. ation persists: Get medical advice/attention.	nt and eas
Signal wo Hazard st Combustik Causes se Precautio Keep awa Wash thor Wear prote If in eyes: to do. Con If eye irrita In case of	tatements ble liquid. erious eye irritation. onary statements ey from flames and hot surfaces. – No smoking. roughly after handling. ective gloves/protective clothing/eye protection/face protection. Rinse cautiously with water for several minutes. Remove contact lenses, if preser ation persists: Get medical advice/attention. fire: Use CO2, powder or water spray to extinguish.	nt and eas
Signal wo Hazard st Combustik Causes se Precautio Keep awa Wash thor Wear prote If in eyes: to do. Con If eye irrita In case of Store in a	tatements ble liquid. erious eye irritation. onary statements by from flames and hot surfaces. – No smoking. roughly after handling. ective gloves/protective clothing/eye protection/face protection. Rinse cautiously with water for several minutes. Remove contact lenses, if preser ntinue rinsing. ation persists: Get medical advice/attention.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of preparation / last revision 05/08/2025 / 1.0
- Abbreviations and acronyms: EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 12)

⁻ US



Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Page 12/12

(Contd. of page 11)

Trade name: W700 PEARL COPPER

ELINCS	European List of Notified Chemical Substances	
CAS: C	emical Abstracts Service (division of the American Chemical Society)	
	lational Fire Protection Association (USA)	
	azardous Materials Identification System (USA)	
	latile Organic Compounds (USA, EU)	
	ethal concentration, 50 percent	
	ethal dose, 50 percent	
	rsistent, Bioaccumulative and Toxic	
	Pry Persistent and very Bioaccumulative	
	National Institute for Occupational Safety	
	Dccupational Safety & Health	
	reshold Limit Value	
	rmissible Exposure Limit	
	commended Exposure Limit	
BEI: Bio	logical Exposure Limit	
Flamma	ble liquids 4: Flammable liquids – Category 4	
Eye Irri	ntion 2A: Serious eye damage/eye irritation – Category 2A	
· * Data	compared to the previous version altered.	
Dutt		

US