

Page 1/11

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

## 1 Identification

- · Product identifier
- Trade name: <u>W940 METALLIC COARSE</u>
- · Article number: W940
- · Application of the substance / the mixture refer to the relevant Technical Data Sheet
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* General Paint Co. SAL P.O. Box 7623 Beirut LEBANON info@hymax.biz

- · Information department: Product Safety Department
- Emergency telephone number: 1-800-535-5053 contract number (89244)

#### 2 Hazard(s) identification

Classification of the substance or mixture
 Flammable liquids 4 H227 Combustible liquid.

## · Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms Void
- · Signal word Warning
- · Hazard statements Combustible liquid.
- Processionery state
- · Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Trade name: W940 METALLIC COARSE

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

111-76-2 2-butoxyethanol

7429-90-5 aluminium powder (stabilised)

## 67-63-0 propan-2-ol

## 4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)



(Contd. of page 1)

>2.5-*≤*10%

>2.5-≤10%

*≤*2.5%

Page 2/11



# Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Page 3/11

## Trade name: W940 METALLIC COARSE

Environm	ental precautions: Do not allow to enter sewers/ surface or ground water.	(Contd. of page
	and material for containment and cleaning up:	
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sa	vdust).
	intaminated material as waste according to section 13.	
Reference	to other sections	
	ous substances are released.	
	n 7 for information on safe handling.	
	n 8 for information on personal protection equipment. n 13 for disposal information.	
• Protective	Action Criteria for Chemicals	
PAC-1:		
111-76-2	2-butoxyethanol	60 ppm
67-63-0	propan-2-ol	400 ppm
108-01-0	2-dimethylaminoethanol	3.7 ppm
108-65-6	2-methoxy-1-methylethyl acetate	50 ppm
1330-20-7	xylene	130 ppm
100-41-4	ethylbenzene	33 ppm
140-88-5	ethyl acrylate	8.3 ppm
PAC-2:		•
	2-butoxyethanol	120 ppm
	propan-2-ol	2000* ppm
108-01-0	2-dimethylaminoethanol	12 ppm
108-65-6	2-methoxy-1-methylethyl acetate	1,000 ppm
1330-20-7	xylene	920* ppm
100-41-4	ethylbenzene	1100* ppm
140-88-5	ethyl acrylate	36 ppm
PAC-3:		·
111-76-2	2-butoxyethanol	700 ppm
	propan-2-ol	12000** ppm
	2-dimethylaminoethanol	72 ppm
	2-methoxy-1-methylethyl acetate	5000* ppm
1330-20-7	xylene	2500* ppm
100-41-4	ethylbenzene	1800* ppm
140-88-5	ethyl acrylate	240 ppm

(Contd. on page 4)



acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

### Trade name: W940 METALLIC COARSE

(Contd. of page 3)

Page 4/11

## 7 Handling and storage

#### · Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

111-	76-2 2-butoxyethanol
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI, A3
67-6	3-0 propan-2-ol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 491 mg/m³, 200 ppm BEI, A4
	(Contd. on page 5)



## Page 5/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

## Trade name: W940 METALLIC COARSE

Ingredients with biological limit values: 111-76-2 2-butoxyethanol BEI 200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis) 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation Due to missing tests no recommendation to the glove material can be given for the product/ th preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and ti degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. As the product is a preparation of seven substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and h to be observed.		(Contd. of page 4
BEI       200 mg/g creatinine         Medium: urine       Time: end of shift         Parameter: Butoxyacetic acid (BAA) (with hydrolysis)         67-63-0 propan-2-ol         BEI       40 mg/L         Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective and hygienic measures: Wash hands before breaks and at the end of work.         Breathing equipment: Not required.         Protection of hands: <i>With Protection of hands:</i> Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ to preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and to degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. As the product is a preparation of seven substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application. <tr< th=""><th>Ingre</th><th>edients with biological limit values:</th></tr<>	Ingre	edients with biological limit values:
Medium:       urine         Time:       end of shift         Parameter:       But system         BEI       40 mg/L         Medium:       urine         Time:       end of shift at end of workweek         Parameter:       Acetione         Parameter:       Acetione         Additional information:       The lists that were valid during the creation were used as basis.         Exposure controls       Personal protective equipment:         General protective and hygienic measures:       Wash hands before breaks and at the end of work.         Breathing equipment:       Not required.         Protection of hands:       Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ to preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. As the product is a preparation of sevel substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application.         Penetration time of glove material <th>111-</th> <th>76-2 2-butoxyethanol</th>	111-	76-2 2-butoxyethanol
BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands:		Medium: urine Time: end of shift
Medium: urine         Time: end of shift at end of workweek         Parameter: Acetone (background, nonspecific)         Additional information: The lists that were valid during the creation were used as basis.         Exposure controls         Personal protective equipment:         General protective and hygienic measures: Wash hands before breaks and at the end of work.         Breathing equipment: Not required.         Protection of hands: <i>Work and the end of the equipment</i> :         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. As the product is a preparation of sever substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	67-6	3-0 propan-2-ol
Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands:		Medium: urine Time: end of shift at end of workweek
Exposure controls Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands:	Add	itional information: The lists that were valid during the creation were used as basis.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. As the product is a preparation of sever substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.		thing equipment: Not required.
preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. As the product is a preparation of sever substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and he to be observed.		n <b>thing equipment:</b> Not required. ection of hands:
degradation <b>Material of gloves</b> The selection of the suitable gloves does not only depend on the material, but also on further marks quality and varies from manufacturer to manufacturer. As the product is a preparation of sever substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	Prote	ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation
quality and varies from manufacturer to manufacturer. As the product is a preparation of sever substances, the resistance of the glove material can not be calculated in advance and has therefore be checked prior to the application. <b>Penetration time of glove material</b> The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	Prote	Athing equipment: Not required. Ection of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture.
The exact break through time has to be found out by the manufacturer of the protective gloves and he to be observed.	The g Due preposele degra	Action of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the adation erial of gloves
Eye protection: Goggles recommended during refilling.	Prote The Due prepa Sele degra Mate qual subs be cl	Athing equipment: Not required. Section of hands: Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and the adation brial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of ity and varies from manufacturer to manufacturer. As the product is a preparation of several tances, the resistance of the glove material can not be calculated in advance and has therefore to the cked prior to the application.

(Contd. on page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

## Trade name: W940 METALLIC COARSE

(Contd. of page 5)

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties	
· Appearance:		
Form:	Fluid	
Color:	According to product description	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	7.4-8.4	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	68 °C (154.4 °F)	
· Flammability:	Not applicable.	
· Auto igniting:	240 °C (464 °F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.049 g/cm³ (8.75391 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	8.8 %	



Page 6/11

## Page 7/11

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

### Trade name: W940 METALLIC COARSE

		(Contd. of page 6)
Water:	74.2 %	
Coating VOC content:	8.77 %	
	416.0 g/l / 3.47 lb/gal	
Material VOC content:	92.0 g/l / 0.77 lb/gal	
Solids content:	18.8 %	
· Other information	No further relevant information available.	

## 0 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 1 Toxicological information

	andes tha	t are relevant for classification:	
111-76-22	2-butoxye	thanol	
Oral	LD50	1,200 mg/kg (ATE)	
		1,480 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rab)	
Inhalative	LC50/4 h	3 mg/l (ATE)	
	l toxicolo	ensitizing effects known. gical information: iories	
		Agency for Research on Cancer)	
· IARC (Inte			
•	2-butoxy		3



acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

Page 8/11

(Contd. of page 7)

3 2B

2B

### Trade name: W940 METALLIC COARSE

1330-20-7 xylene

100-41-4 ethylbenzene

140-88-5 ethyl acrylate

· NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)

US

Page 9/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

## Trade name: W940 METALLIC COARSE

(Contd. of page 8)

UN-Number	NOT APPLICABLE	
UN proper shipping name	N/A	
	NOT APPLICABLE	
Transport hazard class(es)	NOT APPLICABLE	
	NOT APPLICABLE	
Packing group	NON APPLICABILE	
	NOT APPLICABLE	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	< II of	
MARPOL73/78 and the IBC Code	Not applicable.	

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of th	ne ingredients is listed.	
Section 3	13 (Specific toxic chemical listings):	
111-76-2	2 2-butoxyethanol	
67-63-0	propan-2-ol	
1330-20-7	7 xylene	
100-41-4	t ethylbenzene	
140-88-5	5 ethyl acrylate	
TSCA (To	oxic Substances Control Act):	
7732-18-5	5 water, distilled, conductivity or of similar purity	ACTIVE
111-76-2	2 2-butoxyethanol	ACTIVE
67-63-0	) propan-2-ol	ACTIVE
108-01-0	2-dimethylaminoethanol	ACTIVE
108-65-6	2-methoxy-1-methylethyl acetate	ACTIVE
	7 xylene	ACTIVE
1330-20-7		



## Page 10/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

## Trade name: W940 METALLIC COARSE

140-88-5	ethyl acrylate	ACTIV
Hazardou	is Air Pollutants	
1330-20-7	' xylene	
100-41-4	ethylbenzene	
140-88-5	ethyl acrylate	
Propositie	on 65	
	's known to cause cancer:	
100-41-4	ethylbenzene	
140-88-5	ethyl acrylate	
Chemical	s known to cause reproductive toxicity for females:	
None of th	ne ingredients is listed.	
	s known to cause reproductive toxicity for males:	
None of th	ne ingredients is listed.	
Chemical	s known to cause developmental toxicity:	
None of th	ne ingredients is listed.	
Carcinoge	enic categories	
EPA (Env	ironmental Protection Agency)	
111-76-2	2-butoxyethanol	N
1330-20-7	' xylene	1
100-41-4	ethylbenzene	D
TLV (Thre	eshold Limit Value)	· · · · ·
111-76-2	2-butoxyethanol	A
67-63-0	propan-2-ol	A
1330-20-7	' xylene	A
100-41-4	ethylbenzene	A
140-88-5	ethyl acrylate	A
NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
	ethyl acrylate	
The produ <b>Hazard pi</b>	<i>I elements</i> ict is classified and labeled according to the Globally Harmonized System (GH i <b>ctograms</b> Void	'S).
Signal wo Hazard st	ord Warning	
i iazai u St		
Combustik	onary statements	

(Contd. on page 11)

US



acc. to OSHA HCS

Printing date 05/08/2025

Reviewed on 05/08/2025

#### Trade name: W940 METALLIC COARSE

(Contd. of page 10)

Page 11/11

In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of preparation / last revision 05/08/2025 / 1.0

· Abbreviations and acronyms: EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable liquids 4: Flammable liquids - Category 4 • \* Data compared to the previous version altered.

US ·